


ITEM	QTY -041	P/N	DESCRIPTION
1	X	D4970-041	WINDSHIELD DEFLECTOR ASSY
2	1	D4970-1	WINDSHIELD DEFLECTOR - LOWER
3	1	D4970-3	WINDSHIELD DEFLECTOR - UPPER
4	2	D4970-5	DOUBLER
5	6	MS20470AD6-12	RIVET, SOLID, PAN HEAD

D4970-041 WINDSHIELD DEFLECTOR ASSY

- NOTES:
- 1) MATERIAL: N/A
  - 2) FINISH: PRIME IAW MIL-P-23377J TYPE I CLASS N; 1-2 MIL MAX, AS PER QSI 005. APPLY FINISH AFTER ASSEMBLY
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
  - 7) WEIGHT: 3.15 lbs (1.44 kgs)
  - 8) APPLY F/N 17 TO FAYING SURFACES

PRELIMINARY ISSUE


A	NEW ISSUE		DC	13.11.08
REV.	DESCRIPTION		BY	DATE
DESIGN	DC	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA		
DRAWN	DC			
CHECKED	RF	DRAWING NO. <b>D4970</b>		REV. A5
MFG. APPR.	JLM			SHEET 1 OF 5
APPROVED		TITLE <b>WINDSHIELD DEFLECTOR</b>		SCALE
DE APPR.				NTS
DATE	13.11.08		COPYRIGHT © 2013 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



**D4970-041 WINDSHIELD DEFLECTOR ASSY**  
**AUXILIARY VIEW**

PRELIMINARY ISSUE

DESIGN	DC	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	DC		
CHECKED	RF	DRAWING NO.	REV. A5
MFG. APPR.	JLM	<b>D4970</b>	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.		<b>WINDSHIELD DEFLECTOR</b>	NTS
DATE	13.11.08	<small><b>COPYRIGHT © 2013 BY DART AEROSPACE LTD</b> THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	




**D4970-1 WINDSHIELD DEFLECTOR - LOWER**

- NOTES:
- 1) MATERIAL: 7075-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/9 (OR AMS 4122/4123/4186/4187) OR  
PER AMS-QQ-A-200/11 (REF DART SPEC M7075T6B)
  - 2) FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4970-1", AGUSTA WESTLAND P/N "TBD", REVISION, BATCH NUMBER AND DATE OF MANUFACTURE,  
USING AN X-TENSION STAMP, PER QSI 044 METHOD 6.2
  - 7) WEIGHT: 1.35 lbs (0.62 kgs)
  - 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE: D4970-1-a.IGES

PRELIMINARY ISSUE


DESIGN	DC	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	DC		
CHECKED	RF	DRAWING NO.	REV. A5
MFG. APPR.	JLM	<b>D4970</b>	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.		<b>WINDSHIELD DEFLECTOR</b>	NTS
DATE	13.11.08	COPYRIGHT © 2013 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



- NOTES:
- 1) MATERIAL: 7075-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/9 (OR AMS 4122/4123/4186/4187) OR  
PER AMS-QQ-A-200/11 (REF DART SPEC M7075T6B)
  - 2) FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4970-3", AGUSTA WESTLAND P/N "TBD", REVISION, BATCH NUMBER AND DATE OF MANUFACTURE,  
USING AN X-TENSION STAMP, PER QSI 044 METHOD 6.2
  - 7) WEIGHT: 1.61 lbs (0.73 kgs)
  - 8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE: D4970-3-a.IGES

PRELIMINARY ISSUE

DESIGN	DC	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	DC		
CHECKED	RF	DRAWING NO.	REV. A5
MFG. APPR.	JLM	<b>D4970</b>	SHEET 4 OF 5
APPROVED		TITLE	SCALE
DE APPR.		<b>WINDSHIELD DEFLECTOR</b>	NTS
DATE	13.11.08	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



**D4970-5 DOUBLER**

NOTES:  
1) MATERIAL: 7075-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR  
PER AMS-QQ-A-225/9 (OR AMS 4122/4123/4186/4187) OR  
PER AMS-QQ-A-200/11 (REF DART SPEC M7075T6B)  
2) FINISH: HARD ANODIZE IAW MIL-A-8625 TYPE III, CLASS 2, COLOR BLACK  
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED  
4) UNITS: INCHES UNLESS OTHERWISE NOTED  
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX  
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4970-5", AGUSTA WESTLAND P/N "TBD", REVISION, BATCH NUMBER AND DATE OF MANUFACTURE,  
USING AN X-TENSION STAMP, PER QSI 044 METHOD 6.2  
7) WEIGHT: 0.10 lbs (0.05 kgs)  
8) PART DIMENSIONS CONTROLLED BY CAD MODEL FILE: D4970-5-a.IGES

PRELIMINARY ISSUE

DESIGN	DC	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	DC		
CHECKED	RF	DRAWING NO.	REV. A5
MFG. APPR.	JLM	<b>D4970</b>	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		<b>WINDSHIELD DEFLECTOR</b>	NTS
DATE	13.11.08	COPYRIGHT © 2013 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	